


CORREIAS POLY V

CORREIA PH




Correia passo 1,60 mm X 2,50 mm

Ref. Norma ISO	Comprimento	
	Milímetro	Polegada
PH 559	559	22
PH 762	762	30
PH 813	813	32
PH 858	858	33,8
PH 864	864	34
PH 886	886	34,9
PH 914	914	36
PH 955	955	37,6
PH 965	965	38
PH 975	975	38,4
PH 1016	1016	40
PH 1080	1080	42,5
PH 1092	1092	43
PH 1096	1096	43,1
PH 1168	1168	46
PH 1194	1194	47
PH 1200	1200	47,2
PH 1222	1222	48,1
PH 1230	1230	48,4
PH 1244	1244	49
PH 1262	1262	49,7
PH 1270	1270	50
PH 1285	1285	50,6

Ref. Norma ISO	Comprimento	
	Milímetro	Polegada
PH 1290	1290	50,8
PH 1301	1301	51,2
PH 1309	1309	51,5
PH 1316	1316	51,8
PH 1321	1321	52
PH 1333	1333	52,5
PH 1371	1371	54
PH 1397	1397	55
PH 1439	1439	56,7
PH 1475	1475	58,1
PH 1600	1600	63
PH 1854	1854	73
PH 1895	1895	74,6
PH 1915	1915	75,4
PH 1930	1930	76
PH 1956	1956	77
PH 1965	1965	77,4
PH 1984	1984	78,1
PH 1992	1992	78,4
PH 2083	2083	82
PH 2155	2155	84,8
PH 2210	2210	87

CORREIA PM



Correia passo 9,40 mm X 13 mm

Norma ISO Milímetro	Comprimento Externo	
	Norma RMA Polegada	Polegada
PM 2124	---	84
PM 2286	900 M	90
PM 2388	940 M	94
PM 2515	990 M	99
PM 2693	1060 M	106
PM 2832	1115 M	111,5
PM 2921	1150 M	115
PM 3010	1185 M	118,5
PM 3124	1230 M	123
PM 3327	1310 M	131
PM 3531	1390 M	139
PM 3734	1470 M	147
PM 4089	1610 M	161
PM 4191	1650 M	165
PM 4470	1760 M	176
PM 4648	1830 M	183
PM 5029	1980 M	198
PM 5410	2130 M	213
PM 6121	2410 M	241
PM 6883	2710 M	271
PM 7646	3010 M	301
PM 8408	3310 M	331
PM 9169	3610 M	361
PM 9931	3910 M	391
PM 10693	4210 M	421
PM 12217	4810 M	481
PM 13741	5410 M	541
PM 15266	6010 M	601